

# GEN-Y HITCH



# 2026 PRODUCT CATALOG

HOME OF THE TORSION  FLEX TECHNOLOGY



# WHO IS **GEN-Y HITCH?**

## **INNOVATION FOCUSED**

Since being founded by Carl Borkholder in 2012, GEN-Y Hitch has grown into a leading innovator in the truck accessory market. Products such as our MEGA-DUTY adjustable drop hitch, TORSION-FLEX Technology, and SnapLatch Coupler have all been designed to reinvent and improve how we do things.



## **WE STAND BY OUR PEOPLE & PRODUCTS 100%**


We are known for our heavy-duty, satisfaction guaranteed, 100% American-made products, and our outstanding customer service. We believe that a strong, service-driven culture is essential to our success. One of our greatest qualities as a company is bringing on team members who exemplify this standard.



# WHAT IS TORSION FLEX TECHNOLOGY?

## HOW IT WORKS

GEN-Y HITCH'S PATENTED **TORSION-FLEX TECHNOLOGY** IS DESIGNED TO CREATE THE **SMOOTHEST RIDE** FOR YOU AND YOUR CARGO. THE HIGH-QUALITY RUBBER TORSION ARMS CUSHION THE CONNECTION BETWEEN YOUR TOW VEHICLE AND TRAILER, REDUCING CHUCKING AND BUCKING, AND ENSURING A SMOOTHER RIDE. THIS TECHNOLOGY UTILIZES A PROVEN TECHNIQUE FOUND IN TRAILER TORSION AXLES AND REPURPOSES IT IN AN INNOVATIVE WAY TO ADD SHOCK ABSORPTION INTO THE HITCH.



UP TO 90%  
SMOOTHER RIDE



PROTECTS  
YOUR CARGO



MAINTENANCE  
FREE



GLYDER - PG. 7



PHANTOM-XT - PG. 9



BOSS - PG. 17



VOYAGER - PG. 8



EXECUTIVE - PG. 23



SPARTAN - PG. 29



VICTORY LANE - PG. 33



CONTRACTOR - PG. 32



**100%** AMERICAN  
MADE

# TABLE OF CONTENTS

**06 PHANTOM**  
LIGHTWEIGHT ADJUSTABLE DROP HITCH  
5,000 LBS. TOWING CAPACITY  
2" SHANK

**07 GLYDER**  
TORSION-FLEX BALL MOUNT  
7,000 LBS. TOWING CAPACITY  
2" SHANK

**08 VOYAGER**  
TORSION-FLEX CARGO HITCH  
300-500 LBS. CARGO TONGUE WEIGHT  
2" SHANK

**09 PHANTOM-XT**  
TORSION-FLEX DROP HITCH  
10,000 LBS. TOWING CAPACITY  
2" SHANK

**10 PHANTOM-X**  
ADJUSTABLE DROP HITCH  
10,000-16,000 LBS. TOWING CAPACITY  
2" & 2.5" SHANK

**11 MEGA-DUTY**  
ADJUSTABLE DROP HITCH  
10,000-32,000 LBS. TOWING CAPACITY  
2", 2.5", & 3" SHANK

**17 BOSS**  
TORSION-FLEX DROP HITCH  
10,000-32,000 LBS. TOWING CAPACITY  
2", 2.5", & 3" SHANK

**23 EXECUTIVE**  
TORSION-FLEX 5TH WHEEL PIN BOX  
21,000-30,000 LBS. TOWING CAPACITY  
GOOSENECK COUPLER & KING PIN MODELS

**26 ADVANTAGE**  
5TH WHEEL & GOOSENECK COMBO HITCH  
25,000 LBS. TOWING CAPACITY  
AVAILABLE IN INDUSTRY RAIL & PUCK SYSTEM

**28 GOOSEPUCK**  
5" OFFSET GOOSENECK BALL  
25,000 LBS. TOWING CAPACITY  
FITS OEM PUCK SYSTEM

**29 SPARTAN**  
TORSION-FLEX GOOSENECK COUPLER  
25,000-30,000 LBS. TOWING CAPACITY  
AVAILABLE IN SQUARE OR ROUND TUBES

**30 VIKING**  
GOOSENECK COUPLER  
30,000 LBS. TOWING CAPACITY  
AVAILABLE IN SQUARE OR ROUND TUBES

**31 ADMIRAL**  
BUMPER COUPLER  
20,000 LBS. TOWING CAPACITY  
AVAILABLE IN CHANNEL, FLAT PLATE, OR A-FRAME MOUNT

**32 CONTRACTOR**  
TORSION-FLEX TRAILER COUPLER  
18,000-32,000 LBS. TOWING CAPACITY  
CHANNEL MOUNT

**33 VICTORY LANE**  
CLASS C TETHERHOME HITCH  
TRAILER COUPLER FLAT PLATE HITCH  
UTILIZES TORSION-FLEX TECHNOLOGY

**34 RAMPS**  
HEAVY-DUTY, FOLDABLE, AND LIGHTWEIGHT RAMPS  
1,200-14,000 LBS. TOTAL CAPACITY  
ALUMINUM, LIGHTWEIGHT CONSTRUCTION

**37 HITCH STEPS**  
42" PHANTOM-XL STEP  
SERRATED HITCH STEP  
2" & 2.5" SHANKS

**38 RUNNING BOARDS**  
HEAVY-DUTY, STEEL CONSTRUCTION  
400 LBS. WEIGHT CAPACITY  
AVAILABLE FOR MULTIPLE TRUCK MAKES & MODELS

**39 HITCH ACCESSORIES**  
BOLT LOCK, INFINITERULE LOCK, EXECUTIVE ACCESSORIES  
REPLACEMENT PULL CABLE, SAFETY CHAIN ANCHORS  
KING PIN CAPTURE PLATE

**43 HITCH ACCESSORIES**  
GLYDER ACCESSORIES, PHANTOM ACCESSORIES, HULK,  
FLAG POLES, STABILIZER KITS, SWAY CONTROL, WEIGHT  
DISTRIBUTION, SKID PLATES, REDUCER SLEEVES, ANTI-RATTLE

**46 HITCH ACCESSORIES**  
EXTENDED DUAL-BALL MOUNT, DUAL-BALL MOUNT,  
SINGLE BALL MOUNT, PINTLE LOCKS, CLIPS, BOLT-ON BALL  
CHAIN EXTENDERS, HITCH PINS

 INDICATES HOT SELLERS

# PHANTOM



GH-102358 SHOWN

**SHANK 2"**  
**TOWING 5,000 LBS.**  
**TONGUE WEIGHT 500 LBS.**

MODEL NO.	DROP	INCLUDES
<b>GH-102358</b>	<b>4.5"</b>	<b>BALL MOUNT</b>

*PHANTOM HITCHES CAN BE USED IN THE DROP OR RISE POSITION*

# GLYDER

TORSION FLEX



**SHANK 2"**  
**TOWING 7,000 LBS.**  
**TONGUE WEIGHT 700 LBS.**

MODEL NO.	DROP
GH-12001	2"
GH-12005	6"

*SMOOTHEST RIDE ACHIEVED WITHIN 400-700 LBS. TONGUE WEIGHT*



GH-12001 SHOWN



GH-12005 SHOWN





# VOYAGER

TORSION FLEX



## SHANK 2" TOWING 7,000 LBS. TONGUE WEIGHT 700 LBS.

MODEL NO.	CARGO TONGUE WEIGHT	INCLUDES
GH-26001	300 LBS.	HITCH ONLY
GH-26011	300 LBS.	PLATINUM BALL MOUNT

## SHANK 2" TOWING 7,000 LBS. TONGUE WEIGHT 1,000 LBS.

MODEL NO.	CARGO TONGUE WEIGHT	INCLUDES
GH-26002	500 LBS.	HITCH ONLY
GH-26012	500 LBS.	PLATINUM BALL MOUNT



GH-26011 SHOWN

# PHANTOM-XT

TORSION FLEX



**SHANK 2"**  
**TOWING 10,000 LBS.**  
**TONGUE WEIGHT 1,000 LBS.**

MODEL NO.      DROP  
**GH-104176XT    4.25"**



GH-104176XT SHOWN

SMOOTHEST RIDE ACHIEVED WITHIN 400-1,000 LBS. TONGUE WEIGHT



PHANTOM-XT CAN BE USED IN THE DROP OR RISE POSITION

# PHANTOM-X



GH-2613X SHOWN

**SHANK 2"**  
**TOWING 10,000 LBS.**  
**TONGUE WEIGHT 1,000 LBS.**

MODEL NO.	DROP	INCLUDES
<b>GH-2613XP</b>	<b>4.5"</b>	<b>PLATINUM BALL MOUNT</b>
<b>GH-2613X</b>	<b>4.5"</b>	<b>DUAL-BALL</b>

**SHANK 2.5" TOWING 16,000 LBS. TONGUE WEIGHT 1,600 LBS.**

MODEL NO.	DROP	INCLUDES
<b>GH-2413X</b>	<b>5"</b>	<b>DUAL-BALL</b>
<b>GH-2414X</b>	<b>7.5"</b>	<b>DUAL-BALL</b>
<b>GH-2415X</b>	<b>10"</b>	<b>DUAL-BALL</b>
<b>GH-2423X</b>	<b>5"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-2424X</b>	<b>7.5"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-2425X</b>	<b>10"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-2433X</b>	<b>5"</b>	<b>TRI-BALL MOUNT</b>
<b>GH-2434X</b>	<b>7.5"</b>	<b>TRI-BALL MOUNT</b>
<b>GH-2435X</b>	<b>10"</b>	<b>TRI-BALL MOUNT</b>



GH-2425X SHOWN

PHANTOM-X HITCHES CAN BE USED IN THE DROP OR RISE POSITION



# MEGA-DUTY





# MEGA-DUTY



GH-316 SHOWN



GH-324 SHOWN

## SHANK 2" TOWING 10,000 LBS. TONGUE WEIGHT 1,500 LBS.

MODEL NO.	DROP	INCLUDES
GH-303	5"	HITCH ONLY
GH-304	7.5"	HITCH ONLY
GH-305	10"	HITCH ONLY
GH-306	12.5"	HITCH ONLY
GH-307	15"	HITCH ONLY
 GH-313	5"	DUAL-BALL
GH-314	7.5"	DUAL-BALL
GH-315	10"	DUAL-BALL
GH-316	12.5"	DUAL-BALL
GH-317	15"	DUAL-BALL
 GH-323	5"	DUAL-BALL & PINTLE LOCK
GH-324	7.5"	DUAL-BALL & PINTLE LOCK
GH-325	10"	DUAL-BALL & PINTLE LOCK
GH-326	12.5"	DUAL-BALL & PINTLE LOCK
GH-327	15"	DUAL-BALL & PINTLE LOCK

VISIT [WWW.GENYHITCH.COM](http://WWW.GENYHITCH.COM) FOR ADDITIONAL DROP SIZES UP TO 22.5"

## SHANK 2" TOWING 16,000 LBS. TONGUE WEIGHT 2,000 LBS.

\* SOLD WITH STABILIZER KIT

MODEL NO.	DROP	INCLUDES
GH-503	5"	HITCH ONLY
GH-504	7.5"	HITCH ONLY
GH-505	10"	HITCH ONLY
GH-506	12.5"	HITCH ONLY
 GH-507*	15"	HITCH ONLY
 GH-513	5"	DUAL-BALL
GH-514	7.5"	DUAL-BALL
GH-515	10"	DUAL-BALL
GH-516	12.5"	DUAL-BALL
GH-517*	15"	DUAL-BALL
GH-523	5"	DUAL-BALL & PINTLE LOCK
 GH-524	7.5"	DUAL-BALL & PINTLE LOCK
GH-525	10"	DUAL-BALL & PINTLE LOCK
GH-526	12.5"	DUAL-BALL & PINTLE LOCK
GH-527*	15"	DUAL-BALL & PINTLE LOCK

VISIT [WWW.GENYHITCH.COM](http://WWW.GENYHITCH.COM) FOR ADDITIONAL DROP SIZES UP TO 17.5"



GH-513 SHOWN



GH-525 SHOWN

MEGA-DUTY HITCHES CAN BE USED IN THE DROP OR RISE POSITION



# MEGA-DUTY

## SHANK 2.5" TOWING 21,000 LBS. TONGUE WEIGHT 3,000 LBS.

\* SOLD WITH STABILIZER KIT

MODEL NO.	DROP	INCLUDES
<b>GH-613</b>	<b>6"</b>	<b>DUAL-BALL</b>
<b>GH-614</b>	<b>9"</b>	<b>DUAL-BALL</b>
<b>GH-615</b>	<b>12"</b>	<b>DUAL-BALL</b>
<b>GH-616*</b>	<b>15"</b>	<b>DUAL-BALL</b>
<b>GH-617*</b>	<b>18"</b>	<b>DUAL-BALL</b>
<b>GH-623</b>	<b>6"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-624</b>	<b>9"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-625</b>	<b>12"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-626*</b>	<b>15"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-627*</b>	<b>18"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>



GH-614 SHOWN

## SHANK 2.5" TOWING 32,000 LBS. TONGUE WEIGHT 3,500 LBS.

MODEL NO.	DROP	INCLUDES
<b>GH-1613</b>	<b>6"</b>	<b>DUAL-BALL</b>
<b>GH-1614</b>	<b>9"</b>	<b>DUAL-BALL</b>
<b>GH-1615</b>	<b>12"</b>	<b>DUAL-BALL</b>
<b>GH-1623</b>	<b>6"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-1624</b>	<b>9"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-1625</b>	<b>12"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>



GH-1623 SHOWN

## SHANK 3" TOWING 32,000 LBS. TONGUE WEIGHT 3,500 LBS.

MODEL NO.	DROP	INCLUDES
<b>GH-1713</b>	<b>6"</b>	<b>DUAL-BALL</b>
<b>GH-1714</b>	<b>9"</b>	<b>DUAL-BALL</b>
<b>GH-1715</b>	<b>12"</b>	<b>DUAL-BALL</b>
<b>GH-1723</b>	<b>6"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-1724</b>	<b>9"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-1725</b>	<b>12"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>



GH-1725 SHOWN

MEGA-DUTY HITCHES CAN BE USED IN THE DROP OR RISE POSITION



# MEGA-DUTY



GH-414 SHOWN

## OFFSET SHANK 2" TOWING 10,000 LBS. TONGUE WEIGHT 1,500 LBS.

MODEL NO.	RISE/DROP	INCLUDES
GH-404	2.5"/15"	HITCH ONLY
GH-405	2.5"/7.5"	HITCH ONLY
GH-406	5"/7.5"	HITCH ONLY
GH-414	2.5"/15"	DUAL-BALL
GH-415	2.5"/7.5"	DUAL-BALL
GH-416	5"/7.5"	DUAL-BALL
GH-424	2.5"/15"	DUAL-BALL & PINTLE LOCK
GH-425	2.5"/7.5"	DUAL-BALL & PINTLE LOCK
GH-426	5"/7.5"	DUAL-BALL & PINTLE LOCK



GH-225 SHOWN

## OFFSET SHANK 2" TOWING 16,000 LBS. TONGUE WEIGHT 2,000 LBS.

MODEL NO.	RISE/DROP	INCLUDES
GH-204	2.5"/15"	HITCH ONLY
GH-205	2.5"/7.5"	HITCH ONLY
GH-206	5"/7.5"	HITCH ONLY
GH-214	2.5"/15"	DUAL-BALL
GH-215	2.5"/7.5"	DUAL-BALL
GH-216	5"/7.5"	DUAL-BALL
 GH-224	2.5"/15"	DUAL-BALL & PINTLE LOCK
GH-225	2.5"/7.5"	DUAL-BALL & PINTLE LOCK
GH-226	5"/7.5"	DUAL-BALL & PINTLE LOCK



GH-226 SHOWN



MEGA-DUTY HITCHES CAN BE USED IN THE DROP OR RISE POSITION



# MEGA-DUTY

## OFFSET SHANK 2.5" TOWING 21,000 LBS. TONGUE WEIGHT 3,000 LBS.

MODEL NO.	RISE/DROP	INCLUDES
<b>GH-914</b>	<b>3"/6"</b>	<b>DUAL-BALL</b>
<b>GH-915</b>	<b>3"/9"</b>	<b>DUAL-BALL</b>
<b>GH-916</b>	<b>3"/12"</b>	<b>DUAL-BALL</b>
 <b>GH-924</b>	<b>3"/6"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-925</b>	<b>3"/9"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-926</b>	<b>3"/12"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>



GH-924 SHOWN



GH-1915 SHOWN

## OFFSET SHANK 2.5" TOWING 32,000 LBS. TONGUE WEIGHT 3,500 LBS.

MODEL NO.	RISE/DROP	INCLUDES
<b>GH-1914</b>	<b>3"/6"</b>	<b>DUAL-BALL</b>
<b>GH-1915</b>	<b>3"/9"</b>	<b>DUAL-BALL</b>
<b>GH-1916</b>	<b>3"/12"</b>	<b>DUAL-BALL</b>
 <b>GH-1924</b>	<b>3"/6"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-1925</b>	<b>3"/9"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-1926</b>	<b>3"/12"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>



GH-2024 SHOWN

## OFFSET SHANK 3" TOWING 32,000 LBS. TONGUE WEIGHT 3,500 LBS.

MODEL NO.	DROP	INCLUDES
<b>GH-2014</b>	<b>3"/6"</b>	<b>DUAL-BALL</b>
<b>GH-2024</b>	<b>3"/6"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>

MEGA-DUTY HITCHES CAN BE USED IN THE DROP OR RISE POSITION



# MEGA-DUTY



## BOLT-ON HITCH TOWING 16,000 LBS. TONGUE WEIGHT 2,000 LBS.

MODEL NO.	DROP	INCLUDES
<b>GH-102</b>	<b>2.5"</b>	<b>HITCH ONLY</b>
<b>GH-104</b>	<b>7.5"</b>	<b>HITCH ONLY</b>
<b>GH-112</b>	<b>2.5"</b>	<b>DUAL-BALL</b>
<b>GH-114</b>	<b>7.5"</b>	<b>DUAL-BALL</b>
<b>GH-122</b>	<b>2.5"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-124</b>	<b>7.5"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>



GH-114 SHOWN

## BOLT-ON HITCH TOWING 21,000 LBS. TONGUE WEIGHT 3,000 LBS.

MODEL NO.	DROP	INCLUDES
<b>GH-723</b>	<b>6"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-724</b>	<b>9"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>



GH-724 SHOWN

## BOLT-ON HITCH TOWING 32,000 LBS. TONGUE WEIGHT 3,500 LBS.

MODEL NO.	DROP	INCLUDES
<b>GH-3024</b>	<b>9"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>



GH-3024 SHOWN

# BOSS

TORSION FLEX





# THE BOSS

TORSION FLEX

## SHANK 2" TOWING 10,000 LBS. TONGUE WEIGHT 1,100 LBS.

MODEL NO.	DROP	INCLUDES
<b>GH-1014</b>	<b>5"</b>	<b>DUAL-BALL</b>
 <b>GH-1015</b>	<b>7.5"</b>	<b>DUAL-BALL</b>
<b>GH-1016</b>	<b>10"</b>	<b>DUAL-BALL</b>
 <b>GH-1024</b>	<b>5"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-1025</b>	<b>7.5"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-1026</b>	<b>10"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>



GH-1015 SHOWN

## SHANK 2.5" TOWING 10,000 LBS. TONGUE WEIGHT 1,100 LBS.



GH-2324 SHOWN

MODEL NO.	DROP	INCLUDES
<b>GH-2314</b>	<b>5"</b>	<b>DUAL-BALL</b>
<b>GH-2315</b>	<b>7.5"</b>	<b>DUAL-BALL</b>
<b>GH-2316</b>	<b>10"</b>	<b>DUAL-BALL</b>
 <b>GH-2324</b>	<b>5"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-2325</b>	<b>7.5"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-2326</b>	<b>10"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>

SMOOTHEST RIDE ACHIEVED WITHIN 400-1,100 LBS. TONGUE WEIGHT



BOSS HITCHES CAN BE USED IN THE DROP OR RISE POSITION



SMOOTHEST RIDE ACHIEVED WITHIN 1,000-1,700 LBS. TONGUE WEIGHT

## SHANK 2" TOWING 16,000 LBS. TONGUE WEIGHT 1,700 LBS.

MODEL NO.	DROP	INCLUDES
<b>GH-1214</b>	<b>5"</b>	<b>DUAL-BALL</b>
<b>GH-1215</b>	<b>7.5"</b>	<b>DUAL-BALL</b>
<b>GH-1216</b>	<b>10"</b>	<b>DUAL-BALL</b>
<b>GH-1224</b>	<b>5"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-1225</b>	<b>7.5"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-1226</b>	<b>10"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>



## SHANK 2.5" TOWING 16,000 LBS. TONGUE WEIGHT 1,700 LBS.



MODEL NO.	DROP	INCLUDES
<b>GH-1114</b>	<b>5"</b>	<b>DUAL-BALL</b>
<b>GH-1115</b>	<b>7.5"</b>	<b>DUAL-BALL</b>
<b>GH-1116</b>	<b>10"</b>	<b>DUAL-BALL</b>
<b>GH-1124</b>	<b>5"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-1125</b>	<b>7.5"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-1126</b>	<b>10"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>

BOSS HITCHES CAN BE USED IN THE DROP OR RISE POSITION



# THE BOSS

TORSION FLEX

SMOOTHEST RIDE ACHIEVED WITHIN 1,500-2,400 LBS. TONGUE WEIGHT

## SHANK 2.5" TOWING 21,000 LBS. TONGUE WEIGHT 2,400 LBS.

MODEL NO.	DROP	INCLUDES
GH-1314	6"	DUAL-BALL
GH-1315	9"	DUAL-BALL
GH-1316	12"	DUAL-BALL
GH-1324	6"	DUAL-BALL & PINTLE LOCK
GH-1325	9"	DUAL-BALL & PINTLE LOCK
GH-1326	12"	DUAL-BALL & PINTLE LOCK



GH-1326 SHOWN

## SHANK 3" TOWING 21,000 LBS. TONGUE WEIGHT 2,400 LBS.

MODEL NO.	DROP	INCLUDES
GH-1814	6"	DUAL-BALL
GH-1815	9"	DUAL-BALL
GH-1816	12"	DUAL-BALL
GH-1824	6"	DUAL-BALL & PINTLE LOCK
GH-1825	9"	DUAL-BALL & PINTLE LOCK
GH-1826	12"	DUAL-BALL & PINTLE LOCK



GH-1814 SHOWN

SMOOTHEST RIDE ACHIEVED WITHIN 2,000-3,500 LBS. TONGUE WEIGHT

## SHANK 2.5" TOWING 32,000 LBS. TONGUE WEIGHT 3,500 LBS.

MODEL NO.	DROP	INCLUDES
GH-2114	6"	DUAL-BALL
GH-2115	9"	DUAL-BALL
GH-2124	6"	DUAL-BALL & PINTLE LOCK
GH-2125	9"	DUAL-BALL & PINTLE LOCK



GH-2115 SHOWN

## SHANK 3" TOWING 32,000 LBS. TONGUE WEIGHT 3,500 LBS.

MODEL NO.	DROP	INCLUDES
GH-2214	6"	DUAL-BALL
GH-2215	9"	DUAL-BALL
GH-2224	6"	DUAL-BALL & PINTLE LOCK
GH-2225	9"	DUAL-BALL & PINTLE LOCK



GH-2224 SHOWN

BOSS HITCHES CAN BE USED IN THE DROP OR RISE POSITION

SMOOTHEST RIDE ACHIEVED WITHIN 1,000-1,700 LBS. TONGUE WEIGHT

## SHANK 2" TOWING 16,000 LBS. TONGUE WEIGHT 1,700 LBS.

*BELOW MODELS ARE ALL SOLD WITH STABILIZER KITS*

MODEL NO.	DROP	INCLUDES
<b>GH-1414</b>	<b>12.5"</b>	<b>DUAL-BALL</b>
<b>GH-1415</b>	<b>15"</b>	<b>DUAL-BALL</b>
<b>GH-1416</b>	<b>17.5"</b>	<b>DUAL-BALL</b>
<b>GH-1424</b>	<b>12.5"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-1425</b>	<b>15"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-1426</b>	<b>17.5"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>



SMOOTHEST RIDE ACHIEVED WITHIN 1,500-2,400 LBS. TONGUE WEIGHT

## SHANK 2.5" TOWING 21,000 LBS. TONGUE WEIGHT 2,400 LBS.

*BELOW MODELS ARE ALL SOLD WITH STABILIZER KITS*

MODEL NO.	DROP	INCLUDES
<b>GH-1514</b>	<b>15"</b>	<b>DUAL-BALL</b>
<b>GH-1515</b>	<b>18"</b>	<b>DUAL-BALL</b>
<b>GH-1516</b>	<b>21"</b>	<b>DUAL-BALL</b>
<b>GH-1524</b>	<b>15"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-1525</b>	<b>18"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>
<b>GH-1526</b>	<b>21"</b>	<b>DUAL-BALL &amp; PINTLE LOCK</b>



# THE BOSS

TORSION FLEX



GH-1003 SHOWN



GH-1102 SHOWN



GH-1803 SHOWN

SMOOTHEST RIDE ACHIEVED WITHIN 400-1,100 LBS. TONGUE WEIGHT

WEIGHT DISTRIBUTION TOWING 10,000 LBS. TONGUE WEIGHT 1,100 LBS.	MODEL NO.	SHANK SIZE	DROP
	GH-1002	2"	6.5"
	GH-1003	2"	9.5"
	GH-2302	2.5"	6.5"
	GH-2303	2.5"	9.5"

SMOOTHEST RIDE ACHIEVED WITHIN 1,000-1,700 LBS. TONGUE WEIGHT

MODEL NO.	SHANK SIZE	DROP	WEIGHT DISTRIBUTION TOWING 16,000 LBS. TONGUE WEIGHT 1,700 LBS.
GH-1202	2"	6.5"	* SOLD WITH STABILIZER KIT
GH-1203	2"	9.5"	
* GH-1402	2"	12.5"	
* GH-1403	2"	15.5"	
GH-1102	2.5"	6.5"	
GH-1103	2.5"	9.5"	

SMOOTHEST RIDE ACHIEVED WITHIN 1,500-2,400 LBS. TONGUE WEIGHT

WEIGHT DISTRIBUTION TOWING 21,000 LBS. TONGUE WEIGHT 2,400 LBS.	MODEL NO.	SHANK SIZE	DROP
	GH-1302	2.5"	7"
	GH-1303	2.5"	11"
	GH-1802	3"	7"
	GH-1803	3"	11"

# EXECUTIVE

TORSION  FLEX





# EXECUTIVE

TORSION FLEX

## FIFTH WHEEL TO GOOSENECK COUPLER

MODEL NO.	TOWING CAPACITY	PIN WEIGHT RANGE
<b>GH-8055AL</b>	<b>30,000 LBS.</b>	<b>1,500 - 4,500 LBS.</b>
 <b>GH-8075AL</b>	<b>30,000 LBS.</b>	<b>3,500 - 6,500 LBS.</b>

REFER TO FITMENT CHARTS ON [WWW.GENYHITCH.COM](http://WWW.GENYHITCH.COM)



GH-8055AL SHOWN



GH-8056AL SHOWN

## FIFTH WHEEL TO GOOSENECK COUPLER FOR RHINO BOX MODELS

MODEL NO.	TOWING CAPACITY	PIN WEIGHT RANGE
 <b>GH-8056AL</b>	<b>30,000 LBS.</b>	<b>1,500 - 4,500 LBS.</b>
<b>GH-8076AL</b>	<b>30,000 LBS.</b>	<b>3,500 - 6,500 LBS.</b>
<b>GH-8047AL*</b>	<b>21,000 LBS.</b>	<b>1,500 - 4,500 LBS.</b>

\*FITS LCI TURNING POINT BOX

SMOOTHEST RIDE ACHIEVED WITHIN SPECIFIED PIN WEIGHT RANGE



# EXECUTIVE

TORSION FLEX



GH-8070 SHOWN

## FIFTH WHEEL KING PIN BOX

MODEL NO.	TOWING CAPACITY	PIN WEIGHT RANGE
<b>GH-8050</b>	<b>30,000 LBS.</b>	<b>1,500 - 4,500 LBS.</b>
<b>GH-8070</b>	<b>30,000 LBS.</b>	<b>3,500 - 6,500 LBS.</b>
<b>GH-8090</b>	<b>30,000 LBS.</b>	<b>5,500 - 8,500 LBS.</b>

REFER TO FITMENT CHARTS ON [WWW.GENYHITCH.COM](http://WWW.GENYHITCH.COM)

## FIFTH WHEEL KING PIN BOX FOR RHINO BOX MODELS

MODEL NO.	TOWING CAPACITY	PIN WEIGHT RANGE
<b>GH-8051</b>	<b>30,000 LBS.</b>	<b>1,500 - 4,500 LBS.</b>
<b>GH-8071</b>	<b>30,000 LBS.</b>	<b>3,500 - 6,500 LBS.</b>



GH-8071 SHOWN

SMOOTHEST RIDE ACHIEVED WITHIN SPECIFIED PIN WEIGHT RANGE

# ADVANTAGE

COMBO HITCH



GH-21202 SHOWN

## 5TH WHEEL & GOOSENECK COMBO HITCH INDUSTRY RAIL SYSTEM TOWING 25,000 LBS. TONGUE WEIGHT 6,000 LBS.

MODEL NO.	TOWING CAPACITY	5TH WHEEL COMPATIBILITY
GH-21201	25,000	CURT Q24 & A25
GH-21202	25,000	B&W PATRIOT
GH-21207	25,000	B&W COMPANION
 GH-21204	25,000	PULLRITE

\*INCLUDES PULLRITE FIFTH WHEEL HEAD, CROSS MEMBER & ROCKER ARM



# ADVANTAGE

## COMBO HITCH

### 5TH WHEEL & GOOSENECK COMBO HITCH PUCK MOUNT SYSTEM TOWING 25,000 LBS. TONGUE WEIGHT 6,000 LBS.

MODEL NO.	TRUCK MAKE	YEAR	5TH WHEEL COMPATIBILITY
<b>GH-21215</b>	<b>RAM</b>	<b>ALL</b>	<b>BASE</b>
<b>GH-21208</b>	<b>RAM</b>	<b>ALL</b>	<b>CURT Q24 &amp; A25</b>
<b>GH-21209</b>	<b>RAM</b>	<b>ALL</b>	<b>B&amp;W COMPANION</b>
<b>GH-21210*</b>	<b>RAM</b>	<b>ALL</b>	<b>PULLRITE</b>

\*INCLUDES PULLRITE FIFTH WHEEL HEAD, CROSS MEMBER & ROCKER ARM



GH-21210 SHOWN



GH-21212 SHOWN

### 5TH WHEEL & GOOSENECK COMBO HITCH PUCK MOUNT SYSTEM TOWING 25,000 LBS. TONGUE WEIGHT 6,000 LBS.

MODEL NO.	TRUCK MAKE	YEAR	5TH WHEEL COMPATIBILITY
<b>GH-21211</b>	<b>FORD</b>	<b>2017-2025</b>	<b>BASE</b>
<b>GH-21212</b>	<b>FORD</b>	<b>2017-2025</b>	<b>CURT Q24 &amp; A25</b>
<b>GH-21214</b>	<b>FORD</b>	<b>2017-2025</b>	<b>B&amp;W COMPANION</b>
<b>GH-21213*</b>	<b>FORD</b>	<b>2017-2025</b>	<b>PULLRITE</b>

\*INCLUDES PULLRITE FIFTH WHEEL HEAD, CROSS MEMBER & ROCKER ARM

# GoosePuck



## 5" OFFSET BALL OEM PUCK SYSTEM TOWING 25,000 LBS. TONGUE WEIGHT 6,000 LBS.

MODEL NO.	TRUCK MAKE	YEAR
<b>GH-21011</b>	<b>FORD</b>	<b>2017-2025</b>
<b>GH-21014</b>	<b>RAM</b>	<b>ALL</b>
<b>GH-21015</b>	<b>GMC</b>	<b>2018 - 2019</b>
<b>GH-21017</b>	<b>GMC</b>	<b>2020 - 2025</b>



GH-21011 SHOWN

BUILT-IN SAFETY CHAIN ATTACHMENTS

# SPARTAN

TORSION FLEX



## TORSION-FLEX GOOSENECK COUPLER

MODEL NO.	COUPLER OPTIONS	TONGUE WEIGHT RANGE	TOWING CAPACITY
 GH-7042	4" ROUND	1,500 - 4,500 LBS.	25,000 LBS.
GH-7052	4" SQUARE	1,500 - 4,500 LBS.	25,000 LBS.
 GH-7082	4" ROUND	3,500 - 6,500 LBS.	25,000 LBS.
GH-7092	4" SQUARE	3,500 - 6,500 LBS.	30,000 LBS.

ALL UNITS SOLD WITH 3/4" PIN. SPARTAN HITCHES ARE DESIGNED WITH A 2.5" OFFSET.



SMOOTHEST RIDE ACHIEVED WITHIN SPECIFIED TONGUE WEIGHT RANGE



# THE VIKING



## GOOSENECK COUPLER TOWING 30,000 LBS. TONGUE WEIGHT 8,500 LBS.

MODEL NO.	TOWING CAPACITY	COUPLER OPTIONS
<b>GH-7101</b>	<b>30,000 LBS.</b>	<b>4" SQUARE</b>
<b>GH-7102</b>	<b>30,000 LBS.</b>	<b>4" ROUND</b>



GH-7101 SHOWN

# THE ADMIRAL

## BUMPER COUPLER



GH-24001 SHOWN



GH-24002 SHOWN



GH-24003 SHOWN

### TRAILER COUPLER

MODEL NO.	TOWING CAPACITY	ATTACHMENT STYLE
<b>GH-24001</b>	<b>21,000</b>	<b>CHANNEL MOUNT</b>
<b>GH-24002</b>	<b>32,000</b>	<b>FLAT PLATE MOUNT</b>
<b>GH-24003</b>	<b>21,000</b>	<b>A-FRAME MOUNT</b>





# CONTRACTOR

TORSION FLEX



BALL COUPLER NOT INCLUDED. INCLUDES 4 GRADE #8 MOUNTING BOLTS.



GH-10002 SHOWN

## CHANNEL MOUNT TRAILER COUPLER

MODEL NO.	TOWING CAPACITY	TONGUE WEIGHT RANGE
GH-10001	16,000 LBS.	1,000 - 1,700 LBS.
 GH-10002	21,000 LBS.	1,500 - 2,400 LBS.
GH-10003	32,000 LBS.	2,000 - 3,500 LBS.

SMOOTHEST RIDE ACHIEVED WITHIN SPECIFIED TONGUE WEIGHT RANGE



TORSION FLEX



## CLASS C TOTERHOME HITCH

MODEL NO. TOWING CAPACITY TONGUE WEIGHT RANGE

**GH-10081 32,000 LBS. 2,000 - 4,000 LBS.**

**GH-10082 32,000 LBS. 4,000 - 6,000 LBS.**

**GH-10083 32,000 LBS. 5,500 - 7,500 LBS.**

PINTLE CAPACITY RATED AT 40,000 LBS.



GH-10083 SHOWN



GH-10052 SHOWN

## TRAILER COUPLER FLAT PLATE

MODEL NO. TOWING CAPACITY TONGUE WEIGHT RANGE

**GH-10052 21,000 LBS. 1,500 - 2,400 LBS.**

**GH-10053 32,000 LBS. 2,000 - 3,500 LBS.**

SMOOTHEST RIDE ACHIEVED WITHIN SPECIFIED TONGUE WEIGHT RANGE

# RAMPS



GH-16084 SHOWN

## HEAVY-DUTY ALUMINUM RAMPS

MODEL NO.	LENGTH	WIDTH	PACKAGE INCLUDES
 GH-16072	6'	14"	TWO 72" X 14" RAMPS - 6,000 LBS. TOTAL CAPACITY
 GH-16084	7'	14"	TWO 84" X 14" RAMPS - 6,000 LBS. TOTAL CAPACITY
GH-16096	8'	15"	TWO 96" X 15" RAMPS - 10,000 LBS. TOTAL CAPACITY
GH-16120	10'	15"	TWO 120" X 15" RAMPS - 10,000 LBS. TOTAL CAPACITY
GH-16144	12'	15"	TWO 144" X 15" RAMPS - 8,000 LBS. TOTAL CAPACITY
GH-16168	14'	15"	TWO 168" X 15" RAMPS - 8,000 LBS. TOTAL CAPACITY

## EXTREME-DUTY ALUMINUM RAMPS

MODEL NO.	LENGTH	WIDTH	PACKAGE INCLUDES
GH-17072	6'	15"	TWO 72" X 15" RAMPS - 10,000 LBS. TOTAL CAPACITY
GH-17084	7'	15"	TWO 84" X 15" RAMPS - 10,000 LBS. TOTAL CAPACITY
GH-17096	8'	15"	TWO 96" X 15" RAMPS - 14,000 LBS. TOTAL CAPACITY
GH-17120	10'	15"	TWO 120" X 15" RAMPS - 14,000 LBS. TOTAL CAPACITY



SINGULAR RAMPS AVAILABLE ON [WWW.GENYHITCH.COM](http://WWW.GENYHITCH.COM)

# RAMPS



## HEAVY-DUTY ALUMINUM FOLDABLE RAMPS

MODEL NO.	LENGTH	WIDTH	PACKAGE INCLUDES
<b>GH-102595</b>	<b>8'</b>	<b>15"</b>	<b>TWO 96" X 15" RAMPS - 6,000 LBS. TOTAL CAPACITY</b>

## LIGHTWEIGHT ALUMINUM RAMPS

MODEL NO.	LENGTH	WIDTH	PACKAGE INCLUDES
 <b>GH-18078</b>	<b>6.5'</b>	<b>12"</b>	<b>TWO 78" X 12" RAMPS - 1,200 LBS. TOTAL CAPACITY</b>

## SHED RAMPS

MODEL NO.	LENGTH	WIDTH	PACKAGE INCLUDES
<b>GH-18040</b>	<b>40"</b>	<b>11"</b>	<b>TWO 40" X 11" RAMPS - 1,200 LBS. TOTAL CAPACITY</b>

CONVENIENT FOLDABLE DESIGN!  
FOLDS DOWN TO 4' LONG.



GH-102595 SHOWN



GH-18078 SHOWN



GH-18040 SHOWN



# RAMPS



GH-105264 SHOWN



GH-105265 SHOWN



GH-104588 SHOWN

## STRAIGHT ALUMINUM LOADING RAMPS

MODEL NO.	LENGTH	WIDTH	PACKAGE INCLUDES
GH-105264	94"	12"	TWO 94" X 12" RAMPS - 1,500 LBS. TOTAL CAPACITY

## ARCHED ALUMINUM LOADING RAMPS *ARCHED DESIGN PROVIDES EXTRA GROUND CLEARANCE.*

MODEL NO.	LENGTH	WIDTH	PACKAGE INCLUDES
 GH-105265	94"	12"	TWO 94" X 12" RAMPS - 1,500 LBS. TOTAL CAPACITY

## TRI-FOLD ALUMINUM RAMP *CONVENIENT FOLDABLE DESIGN! FOLDS DOWN TO 15" WIDE.*

MODEL NO.	LENGTH	WIDTH	PACKAGE INCLUDES
GH-104588	69"	45"	ONE 69" X 45" RAMPS - 1,500 LBS. TOTAL CAPACITY



# HITCH STEPS



GH-13052X SHOWN



GH-102622 SHOWN

## PHANTOM STEPS

MODEL NO.	SHANK SIZE	LENGTH	RATING
<b>GH-13052X</b>	<b>2"</b>	<b>12"</b>	<b>400 LBS.</b>
<b>GH-102622</b>	<b>2"</b>	<b>42"</b>	<b>600 LBS.</b>



GH-060 SHOWN

## SERRATED HITCH STEP/BOOT SCRAPER

MODEL NO.	SHANK SIZE	RATING	GEN-Y HITCH COMPATIBILITY
<b>GH-030</b>	<b>2"</b>	<b>500 LBS.</b>	<b>10K &amp; 16K</b>
<b>GH-060</b>	<b>2.5"</b>	<b>500 LBS.</b>	<b>21K</b>
<b>GH-0160</b>	<b>2.5"</b>	<b>500 LBS.</b>	<b>32K</b>



# RUNNING BOARDS



GH-25002 SHOWN

MODEL NO.	CAB SIZE	LENGTH	TRUCK MAKE	MODEL/YEAR
GH-25001	CREW CAB	84"	GMC	1500 (2019-2025) 2500HD/3500HD (2020-2025)
GH-25002	CREW CAB	84"	RAM	1500 (2019-2025)
GH-25003	CREW CAB	84"	FORD	F150 (2015-2025) F250/F350 (2017-2025)
GH-25004	CREW CAB	84"	RAM	2500/3500 (2011-2025)
GH-25005	CREW CAB	84"	GMC	2500HD/3500HD (2014-2019)
GH-25006	SINGLE CAB	54"	FORD	F150 (2015-2025) F250/F350 (2017-2025)
GH-25007	SINGLE CAB	54"	GMC	2500/3500 (2020-2025)



# HITCH ACCESSORIES



PHOTO COURTESY OF @PUREZ71



# BOLT

BREAKTHROUGH ONE-KEY LOCK TECHNOLOGY

**MODEL NO.**  
**7018437**

TRUCK MAKE	YEAR
<b>SILVERADO &amp; CK SERIES</b>	<b>1995-2006</b>
<b>SIERRA &amp; CK SERIES</b>	<b>1995-2006</b>
<b>SIERRA CLASSIC [CANADA]</b>	<b>2007-2013</b>
<b>S10 BLAZER &amp; PICKUP</b>	<b>1995-2005</b>

**MODEL NO.**  
**7018439**

TRUCK MAKE	YEAR
<b>F-150</b>	<b>1996-2014</b>
<b>F-SERIES SUPER DUTY</b>	<b>1996-2016</b>
<b>EXPLORER SPORT TRAC</b>	<b>2001-2011</b>
<b>RANGER</b>	<b>1995-2012</b>
<b>BLACKWOOD</b>	<b>2002-2002</b>
<b>MAZDA PICKUP</b>	<b>2001-2009</b>

**MODEL NO.**  
**7023619**

TRUCK MAKE	YEAR
<b>CANYON</b>	<b>2015-2026</b>
<b>COLORADO</b>	<b>2015-2026</b>
<b>SILVERADO</b>	<b>2014-2026</b>
<b>SILVERADO HD</b>	<b>2015-2026</b>
<b>SIERRA</b>	<b>2014-2026</b>
<b>SIERRA HD</b>	<b>2015-2026</b>

**MODEL NO.**  
**7018438**

TRUCK MAKE	YEAR
<b>SILVERADO</b>	<b>2007-2013</b>
<b>SILVERADO HD</b>	<b>2007-2014</b>
<b>SIERRA</b>	<b>2007-2013</b>
<b>SIERRA HD</b>	<b>2007-2014</b>

**MODEL NO.**  
**7023622**

TRUCK MAKE	YEAR
<b>F-150</b>	<b>2015-2020</b>
<b>F-SERIES SUPER DUTY</b> <small>(F-250, F-350, F-450)</small>	<b>2017-2022</b>
<b>TRANSIT CONNECT</b>	<b>2014-2024</b>

**MODEL NO.**  
**7040475**

TRUCK MAKE	YEAR
<b>F-150</b>	<b>2021-2026</b>
<b>F-SERIES SUPER DUTY</b> <small>(F-250, F-350, F-450)</small>	<b>2023-2026</b>
<b>FORD LIGHTNING</b>	<b>2023-2026</b>

**MODEL NO.**  
**7018440**

TRUCK MAKE	YEAR
<b>DAKOTA</b>	<b>1990-2012</b>
<b>RAM PICKUP, CHASSIS</b>	<b>1990-2026</b>
<b>FREIGHTLINER</b>	<b>1997-2026</b>
<b>INTERNATIONAL</b>	<b>2006-2026</b>

# INFINITERULE<sup>®</sup>

## SECURITY



GH-103914 SHOWN

### INFINITERULE SNAPLATCH COUPLER LOCK

MODEL NO.      ORIENTATION  
**GH-103914**      **VERTICAL**



GH-103906 SHOWN

### INFINITERULE RECEIVER & HITCH LOCKS


MODEL NO.	DIAMETER	USABLE LENGTH	GEN-Y HITCH COMPATIBILITY	QTY
<b>GH-103906</b>	<b>5/8"</b>	<b>3 1/8"</b>	<b>5K, 7K, 10K, &amp; 16K</b>	<b>1 PACK</b>
<b>GH-103907</b>	<b>5/8"</b>	<b>3 5/8"</b>	<b>21K</b>	<b>1 PACK</b>
<b>GH-103911</b>	<b>3/4"</b>	<b>3 7/8"</b>	<b>32K</b>	<b>1 PACK</b>
MODEL NO.	SIZES INCLUDED		GEN-Y HITCH COMPATIBILITY	QTY
<b>GH-103908</b>	<b>(2) 5/8" X 3 1/8"</b>		<b>5K, 7K, 10K, &amp; 16K</b>	<b>2 PACK</b>
<b>GH-103909</b>	<b>(1) 5/8" X 3 5/8" &amp; (1) 5/8" X 3 1/8"</b>		<b>21K</b>	<b>2 PACK</b>
<b>GH-103912</b>	<b>(1) 3/4" X 3 7/8" &amp; (1) 5/8" X 3 5/8"</b>		<b>32K</b>	<b>2 PACK</b>
MODEL NO.	SIZES INCLUDED		GEN-Y HITCH COMPATIBILITY	QTY
<b>GH-103910</b>	<b>(3) 5/8" X 3 1/8"</b>		<b>5K, 7K, 10K, &amp; 16K</b>	<b>3 PACK</b>
<b>GH-103915</b>	<b>(2) 5/8" X 3 5/8" &amp; (1) 5/8" X 3 1/8"</b>		<b>21K</b>	<b>3 PACK</b>
<b>GH-103913</b>	<b>(2) 3/4" X 3 7/8" &amp; (1) 5/8" X 3 5/8"</b>		<b>32K</b>	<b>3 PACK</b>



# EXECUTIVE

TORSION FLEX

## 5TH WHEEL ACCESSORIES



### 5TH WHEEL GRADE #8 BOLT INSTALLATION KIT

MODEL NO.	QTY
<b>GH-80943</b>	<b>12</b>



### 5TH WHEEL TO GOOSENECK SAFETY CHAINS

MODEL NO.	PACKAGE INCLUDES
<b>GH-70684</b>	<b>CHAIN + HOOKS</b>



### SAFETY CHAIN ANCHORS

MODEL NO.	TRUCK MAKE
<b>GH-103195</b>	<b>FORD/GMC</b>
<b>GH-103535</b>	<b>RAM</b>



### EXECUTIVE SHIM PLATES

MODEL NO.	QTY
<b>GH-8000</b>	<b>2</b>



### REPLACEMENT CABLE KIT FOR EXECUTIVE

MODEL NO.
<b>GH-103356</b>



### EXECUTIVE KING PIN CAPTURE PLATE

MODEL NO.	WEIGHT RATING
<b>GH-70924</b>	<b>23,000 LBS.</b>

# HITCH ACCESSORIES



GH-12010 SHOWN



MODEL NO.	DESCRIPTION
<b>GH-12010</b>	<b>6" DROP ATTACHMENT</b>
<b>GH-12012</b>	<b>2" SINGLE BALL RATED FOR 5,000 LBS.</b>
<b>GH-12013</b>	<b>2<sup>5</sup>/<sub>16</sub>" SINGLE BALL RATED FOR 7,000 LBS.</b>
<b>GH-12015</b>	<b>2" DROP ATTACHMENT</b>

## PHANTOM SERIES

MODEL NO.	DESCRIPTION	CAPACITY
<b>GH-102541</b>	<b>2" SHANK STANDARD BALL MOUNT</b>	<b>5,000 LBS.</b>
<b>GH-12012R</b>	<b>2" SINGLE BALL</b>	<b>5,000 LBS.</b>
<b>GH-12013R</b>	<b>2<sup>5</sup>/<sub>16</sub>" SINGLE BALL</b>	<b>7,000 LBS.</b>



GH-12012R SHOWN



GH-0070-R SHOWN



GH-0071-W SHOWN

## HULK

MODEL NO.	TOWING CAPACITY	SHANK SIZE	COLOR	INCLUDES
<b>GH-0069-R</b>	<b>16,000 LBS.</b>	<b>2"</b>	<b>RED</b>	<b>TOW HOOK</b>
<b>GH-0069-W</b>	<b>16,000 LBS.</b>	<b>2"</b>	<b>WHITE</b>	<b>TOW HOOK</b>
<b>GH-0070-R</b>	<b>16,000 LBS.</b>	<b>2"</b>	<b>RED</b>	<b>TOW HOOK &amp; PIN</b>
<b>GH-0070-W</b>	<b>16,000 LBS.</b>	<b>2"</b>	<b>WHITE</b>	<b>TOW HOOK &amp; PIN</b>
<b>GH-0071-R</b>	<b>16,000 LBS.</b>	<b>2"</b>	<b>RED</b>	<b>TOW HOOK, PIN &amp; REDUCER SLEEVE</b>
<b>GH-0071-W</b>	<b>16,000 LBS.</b>	<b>2"</b>	<b>WHITE</b>	<b>TOW HOOK, PIN &amp; REDUCER SLEEVE</b>
<b>GH-0072</b>	<b>21,000 LBS.</b>	<b>2.5"</b>	<b>RED</b>	<b>TOW HOOK</b>
<b>GH-0073</b>	<b>21,000 LBS.</b>	<b>2.5"</b>	<b>RED</b>	<b>TOW HOOK &amp; PIN</b>
<b>GH-0074</b>	<b>32,000 LBS.</b>	<b>2.5"</b>	<b>RED</b>	<b>TOW HOOK</b>
<b>GH-0075</b>	<b>32,000 LBS.</b>	<b>2.5"</b>	<b>RED</b>	<b>TOW HOOK &amp; PIN</b>

# HITCH ACCESSORIES

## FLAG POLES

MODEL NO.	SHANK SIZE	INCLUDES
<b>GH-102149</b>	<b>2"</b>	<b>FLAG POLE &amp; HITCH INSERT</b>
<b>GH-102215</b>	<b>2.5"</b>	<b>FLAG POLE &amp; HITCH INSERT</b>
<b>GH-102208</b>	<b>2" EXTENDED</b>	<b>FLAG POLE &amp; HITCH INSERT</b>



GH-102149 SHOWN



GH-0100 SHOWN

## STABILIZER KITS

MODEL NO.	PACKAGE INCLUDES	GEN-Y HITCH COMPATIBILITY
<b>GH-0100</b>	<b>ONE SET OF 2" STABILIZER BARS AND MOUNTING HARDWARE</b>	<b>10K &amp; 16K</b>
<b>GH-0101</b>	<b>ONE SET OF 2.5" STABILIZER BARS AND MOUNTING HARDWARE</b>	<b>21K</b>
<b>GH-0105</b>	<b>ONE SET OF 2.5" STABILIZER BARS AND MOUNTING HARDWARE</b>	<b>32K</b>
<b>GH-0103</b>	<b>Y BRACKET FOR STABILIZER KIT</b>	<b>10K &amp; 16K</b>
<b>GH-0104</b>	<b>Y BRACKET FOR STABILIZER KIT</b>	<b>21K</b>
<b>GH-0100-1</b>	<b>2" HITCH FRAME BRACKETS</b>	<b>ALL</b>

## SWAY CONTROL

MODEL NO.	PACKAGE INCLUDES
<b>GH-601</b>	<b>ADD-ON SWAY CONTROL ARM</b>
<b>GH-300-1</b>	<b>2" SWAY CONTROL HEAD ONLY</b>
<b>GH-600-1</b>	<b>2.5" SWAY CONTROL HEAD ONLY</b>



GH-601 SHOWN



GH-0353 SHOWN

## WEIGHT DISTRIBUTION

MODEL NO.	PACKAGE INCLUDES	GEN-Y HITCH COMPATIBILITY
<b>GH-0352</b>	<b>2" WEIGHT DISTRIBUTION SHANK</b>	<b>10K &amp; 16K</b>
<b>GH-0353</b>	<b>2.5" WEIGHT DISTRIBUTION SHANK</b>	<b>21K</b>
<b>GH-0354</b>	<b>2.5" WEIGHT DISTRIBUTION SHANK</b>	<b>32K</b>

# HITCH ACCESSORIES

## SKID PLATE

MODEL NO.	SHANK SIZE
<b>GH-103629</b>	<b>2"</b>



GH-103629 SHOWN



GH-105073 SHOWN

## VALVE STEM CAPS

MODEL NO.	QTY.
<b>GH-105073</b>	<b>SET OF 4</b>

## ANTI-RATTLE HITCH TIGHTENER ATTACHMENT

MODEL NO.	RECEIVER SIZE
<b>GH-102229</b>	<b>2"</b>
<b>GH-102230</b>	<b>2.5"</b>
<b>GH-102269</b>	<b>3"</b>



GH-102230 SHOWN



GH-002 SHOWN

## WELD-ON RECEIVER TUBE

MODEL NO.	RECEIVER SIZE	LENGTH
<b>GH-002</b>	<b>2"</b>	<b>5.5"</b>
<b>GH-003</b>	<b>2"</b>	<b>12"</b>
<b>GH-004</b>	<b>2.5"</b>	<b>5.5"</b>
<b>GH-0010</b>	<b>2.5"</b>	<b>12"</b>
<b>GH-0011</b>	<b>3"</b>	<b>12"</b>

# HITCH ACCESSORIES



GH-034 SHOWN

## EXTENDED DUAL-BALL MOUNT

MODEL NO.	SHANK SIZE	TOWING CAPACITY	TONGUE WEIGHT
<b>GH-034</b>	<b>2"</b>	<b>10,000 LBS.</b>	<b>1,500 LBS.</b>
<b>GH-054</b>	<b>2"</b>	<b>16,000 LBS.</b>	<b>2,000 LBS.</b>
<b>GH-064</b>	<b>2.5"</b>	<b>21,000 LBS.</b>	<b>3,000 LBS.</b>



GH-051 SHOWN

## DUAL-BALL MOUNT

MODEL NO.	SHANK SIZE	TOWING CAPACITY	TONGUE WEIGHT
<b>GH-031</b>	<b>2"</b>	<b>10,000 LBS.</b>	<b>1,500 LBS.</b>
<b>GH-051</b>	<b>2"</b>	<b>16,000 LBS.</b>	<b>2,000 LBS.</b>
<b>GH-061</b>	<b>2.5"</b>	<b>21,000 LBS.</b>	<b>3,000 LBS.</b>
<b>GH-0161</b>	<b>2.5"</b>	<b>32,000 LBS.</b>	<b>3,500 LBS.</b>



GH-0162 SHOWN

## PINTLE LOCK

MODEL NO.	SIZE	GEN-Y COMPATIBILITY
<b>GH-032</b>	<b>2"</b>	<b>10K &amp; 16K</b>
<b>GH-062</b>	<b>2.5"</b>	<b>21K</b>
<b>GH-0162</b>	<b>2.5"</b>	<b>32K</b>



GH-007-1 SHOWN

## REDUCER SLEEVES

MODEL NO.	SHANK SIZE	LENGTH	STYLE
<b>GH-007</b>	<b>2"</b>	<b>5.5"</b>	<b>STANDARD</b>
<b>GH-008</b>	<b>2.5"</b>	<b>5.5"</b>	<b>STANDARD</b>
<b>GH-007-1</b>	<b>2"</b>	<b>5.5"</b>	<b>BOLT-ON</b>
<b>GH-008-1</b>	<b>2.5"</b>	<b>5.5"</b>	<b>BOLT-ON</b>

# HITCH ACCESSORIES



GH-011 SHOWN

## LOCKING TWIST CLIPS

MODEL NO.	QUANTITY
<b>GH-011-1</b>	<b>5</b>
<b>GH-011</b>	<b>10</b>



GH-090 SHOWN

## BOLT-ON BALL

MODEL NO.	BOLT SIZE	BALL SIZE	TOWING CAPACITY	TONGUE WEIGHT
<b>GH-090</b>	<b>3/4"</b>	<b>1 7/8"</b>	<b>6,000 LBS.</b>	<b>600 LBS.</b>



GHM-AT SHOWN

## ARTICULATING TRAILER HITCH

MODEL NO.	TOWING CAPACITY
<b>GHM-AT</b>	<b>10,000 LBS.</b>



5/8" RAPID LINK SHOWN

## CHAIN EXTENDER

MODEL NO.	SIZE	LENGTH	STRENGTH BREAK
<b>5/8" RAPID LINK</b>	<b>5/8"</b>	<b>4"</b>	<b>4,700 LBS.</b>



GH-096 SHOWN

## STAINLESS STEEL HITCH PINS

MODEL NO.	SIZE	USABLE LENGTH
<b>GH-096</b>	<b>5/8"</b>	<b>3 1/2"</b>
<b>GH-097</b>	<b>3/4"</b>	<b>4 1/4"</b>
<b>GH-099</b>	<b>5/8"</b>	<b>4"</b>
<b>GH-098</b>	<b>3/4"</b>	<b>5 1/4"</b>



GH-101449 SHOWN

## REPLACEMENT BOLTLOCK PINS

MODEL NO.	SIZE	USABLE LENGTH
<b>GH-101449</b>	<b>5/8"</b>	<b>4"</b>
<b>GH-101673</b>	<b>3/4"</b>	<b>4"</b>

[WWW.GENYHITCH.COM](http://WWW.GENYHITCH.COM) | (574) 218-6363



3400 W. MARKET ST. NAPPANEE, IN 46550